


BR2111



Copper
Cobre
Miedź
Cobre



Minimum electrical conductivity of 57 M/Ohms x mm², in an annealed condition. No requirement for weldability.
Conductividad eléctrica mínima de 57 M/Ohms x mm², en estado recocido. Ningún requisito de soldabilidad.



Mat. : Cu 99,9 Min. DIN E-Cu 57 2,0060. ISO CU-ETP.


		L			
B	S	100	300	500	REF.
10	10	*	*	*	BR2111/ 10 x 10 x ...
20	20	*	*	*	BR2111/ 20 x 20 x ...
30	30	*	*	*	BR2111/ 30 x 30 x ...
40	40	*	*	*	BR2111/ 40 x 40 x ...
50	50	*	*	*	BR2111/ 50 x 50 x ...
60	60	*	*	*	BR2111/ 60 x 60 x ...
70	70	*	*	*	BR2111/ 70 x 70 x ...
80	80	*	*	*	BR2111/ 80 x 80 x ...
100	100	*	*	*	BR2111/ 100 x 100 x ...
120	120	*	*	*	BR2111/ 120 x 120 x ...

BR2112



Copper
Cobre
Miedź
Cobre

Minimum electrical conductivity of 57 M/Ohms x mm², in an annealed condition. No requirement for weldability.
Conductividad eléctrica mínima de 57 M/Ohms x mm², en estado recocido. Ningún requisito de soldabilidad.



Mat. : Cu 99,9 Min. DIN E-Cu 57 2,0060. ISO CU-ETP.

D	L				REF.
	100	300	500	1000	
4	*	*	*	*	BR2112/ 4 x ...
5	*	*	*	*	BR2112/ 5 x ...
6	*	*	*	*	BR2112/ 6 x ...
8	*	*	*	*	BR2112/ 8 x ...
10	*	*	*	*	BR2112/ 10 x ...
12	*	*	*	*	BR2112/ 12 x ...
14	*	*	*	*	BR2112/ 14 x ...
16	*	*	*	*	BR2112/ 16 x ...
18	*	*	*	*	BR2112/ 18 x ...
20	*	*	*	*	BR2112/ 20 x ...
25	*	*	*	*	BR2112/ 25 x ...
30	*	*	*	*	BR2112/ 30 x ...
35	*	*	*	*	BR2112/ 35 x ...
40	*	*	*	*	BR2112/ 40 x ...
45	*	*	*	*	BR2112/ 45 x ...
50	*	*	*	*	BR2112/ 50 x ...
60	*	*	*	*	BR2112/ 60 x ...
70	*	*	*	*	BR2112/ 70 x ...
80	*	*	*	*	BR2112/ 80 x ...
90	*	*	*	*	BR2112/ 90 x ...
100	*	*	*	*	BR2112/ 100 x ...
110	*	*	*	*	BR2112/ 110 x ...
120	*	*	*	*	BR2112/ 120 x ...
130	*	*	*	*	BR2112/ 130 x ...
150	*	*	*	*	BR2112/ 150 x ...
200	*	*	*	*	BR2112/ 200 x ...
250	*	*	*	*	BR2112/ 250 x ...


BR2113



Copper
Cobre
Miedź
Cobre




Minimum electrical conductivity of 57 M/Ohms x mm², in an annealed condition. No requirement for weldability.
Conductividad eléctrica mínima de 57 M/Ohms x mm², en estado recocido. Ningún requisito de soldabilidad.



Mat. : Cu 99,9 Min. DIN E-Cu 57 2,0060. ISO CU-ETP.

S	B	L			REF.
		100	300	500	
0,5	100	*	*	*	BR2113/ 0,5 x 100 x ...
1	200	*	*	*	BR2113/ 1,0 x 100 x ...
		*	*	*	BR2113/ 1,0 x 200 x ...
1,5	100	*	*	*	BR2113/ 1,5 x 100 x ...
2	200	*	*	*	BR2113/ 2,0 x 100 x ...
		*	*	*	BR2113/ 2,0 x 200 x ...
2,5	100	*	*	*	BR2113/ 2,5 x 100 x ...
3	20	*	*	*	BR2113/ 3,0 x 20 x ...
	50	*	*	*	BR2113/ 3,0 x 50 x ...
	100	*	*	*	BR2113/ 3,0 x 100 x ...
	200	*	*	*	BR2113/ 3,0 x 200 x ...
4	80	*	*	*	BR2113/ 4,0 x 80 x ...
	100	*	*	*	BR2113/ 4,0 x 100 x ...
	200	*	*	*	BR2113/ 4,0 x 200 x ...
5	15	*	*	*	BR2113/ 5,0 x 15 x ...
	20	*	*	*	BR2113/ 5,0 x 20 x ...
	25	*	*	*	BR2113/ 5,0 x 25 x ...
	30	*	*	*	BR2113/ 5,0 x 30 x ...
	40	*	*	*	BR2113/ 5,0 x 40 x ...
	50	*	*	*	BR2113/ 5,0 x 50 x ...
	60	*	*	*	BR2113/ 5,0 x 60 x ...
	70	*	*	*	BR2113/ 5,0 x 70 x ...
	80	*	*	*	BR2113/ 5,0 x 80 x ...
	90	*	*	*	BR2113/ 5,0 x 90 x ...

S	B	L			REF.
		100	300	500	
5	100	*	*	*	BR2113/ 5,0 x 100 x ...
	200	*	*	*	BR2113/ 5,0 x 200 x ...
6	30	*	*	*	BR2113/ 6,0 x 30 x ...
	43	*	*	*	BR2113/ 6,0 x 43 x ...
	60	*	*	*	BR2113/ 6,0 x 60 x ...
8	100	*	*	*	BR2113/ 6,0 x 100 x ...
	25	*	*	*	BR2113/ 8,0 x 25 x ...
	30	*	*	*	BR2113/ 8,0 x 30 x ...
	40	*	*	*	BR2113/ 8,0 x 40 x ...
10	50	*	*	*	BR2113/ 8,0 x 50 x ...
	60	*	*	*	BR2113/ 8,0 x 60 x ...
	100	*	*	*	BR2113/ 8,0 x 100 x ...
	20	*	*	*	BR2113/ 10,0 x 20 x ...
	25	*	*	*	BR2113/ 10,0 x 25 x ...
	30	*	*	*	BR2113/ 10,0 x 30 x ...
	40	*	*	*	BR2113/ 10,0 x 40 x ...
	50	*	*	*	BR2113/ 10,0 x 50 x ...
	60	*	*	*	BR2113/ 10,0 x 60 x ...
	70	*	*	*	BR2113/ 10,0 x 70 x ...
10	80	*	*	*	BR2113/ 10,0 x 80 x ...
	100	*	*	*	BR2113/ 10,0 x 100 x ...
	150	*	*	*	BR2113/ 10,0 x 150 x ...
	200	*	*	*	BR2113/ 10,0 x 200 x ...
	250	*	*	*	BR2113/ 10,0 x 250 x ...



S	B	L			REF.
		100	300	500	
15	20	*	*	*	BR2113/ 15,0 x 20 x ...
	30	*	*	*	BR2113/ 15,0 x 30 x ...
	40	*	*	*	BR2113/ 15,0 x 40 x ...
	50	*	*	*	BR2113/ 15,0 x 50 x ...
	60	*	*	*	BR2113/ 15,0 x 60 x ...
	80	*	*	*	BR2113/ 15,0 x 80 x ...
	100	*	*	*	BR2113/ 15,0 x 100 x ...
	150	*	*	*	BR2113/ 15,0 x 150 x ...
	200	*	*	*	BR2113/ 15,0 x 200 x ...
	250	*	*	*	BR2113/ 15,0 x 250 x ...
20	40	*	*	*	BR2113/ 20,0 x 40 x ...
	50	*	*	*	BR2113/ 20,0 x 50 x ...
	60	*	*	*	BR2113/ 20,0 x 60 x ...
	80	*	*	*	BR2113/ 20,0 x 80 x ...
	100	*	*	*	BR2113/ 20,0 x 100 x ...
	150	*	*	*	BR2113/ 20,0 x 150 x ...
	200	*	*	*	BR2113/ 20,0 x 200 x ...
	250	*	*	*	BR2113/ 20,0 x 250 x ...
25	30	*	*	*	BR2113/ 25,0 x 30 x ...

S	B	L			REF.
		100	300	500	
25	50	*	*	*	BR2113/ 25,0 x 50 x ...
	100	*	*	*	BR2113/ 25,0 x 100 x ...
	150	*	*	*	BR2113/ 25,0 x 150 x ...
	200	*	*	*	BR2113/ 25,0 x 200 x ...
	250	*	*	*	BR2113/ 25,0 x 250 x ...
	30	60	*	*	*
100		*	*	*	BR2113/ 30,0 x 100 x ...
150		*	*	*	BR2113/ 30,0 x 150 x ...
200		*	*	*	BR2113/ 30,0 x 200 x ...
40	100	*	*	*	BR2113/ 40,0 x 100 x ...
	150	*	*	*	BR2113/ 40,0 x 150 x ...
	200	*	*	*	BR2113/ 40,0 x 200 x ...
50	100	*	*	*	BR2113/ 50,0 x 100 x ...
	150	*	*	*	BR2113/ 50,0 x 150 x ...
	200	*	*	*	BR2113/ 50,0 x 200 x ...
60	100	*	*	*	BR2113/ 60,0 x 100 x ...
	200	*	*	*	BR2113/ 60,0 x 200 x ...
70	100	*	*	*	BR2113/ 70,0 x 100 x ...
	200	*	*	*	BR2113/ 70,0 x 200 x ...